Certificate No.: 2531-CPR-CSP11190



CERTIFICATE OF CONSTANCY OF PERFORMANCE

Issued by DBI Certification, notified body No. 2531.

In compliance with *Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011* (the Construction Products Regulation or CPR), this certificate applies to the construction product

ORB-SW-10005 Orbis Sav-Wire Base

The product fulfils the essential characteristic:

See Annex 1

Intended use:

Applications related to automatic fire alarm systems

Placed on the market under the name or trade mark of:

Apollo Fire Detectors Ltd., 36 Brookside Road, Havant, Hampshire GB-P09 1JR

and produced in the manufacturing plant:

Apollo Fire Detectors Ltd., 36 Brookside Road, Havant, Hampshire GB-P09 1JR

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standards

EN 54-18:2005

: Fire detection and fire alarm systems - Part 18: Input/output devices

under system 1 for the performance set out in this certificate are applied and that the performance of the construction product is assessed to remain constant.

The attached annexes form part of this certificate.

Date of issue: 2020-02-03.

This certificate will remain valid as long as neither the harmonized standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly unless suspended or withdrawn by the notified product certification body.

This certificate was first issued 2020-02-03.

Merete Poulsen Responsible for evaluation

Allan Laursen Responsible for certification decision

Prod. Reg. Nr. 702

The certificate shall be reproduced in extenso – extracts only with written permission from DBI Certification A/S.

DBI Certification A/S Jernholmen 12, 2650 Hvidovre Tlf.: 36 34 90 90

E-mail: info@dbicertification.dk www.dbicertification.dk

Version 2019-10-02 Page **1** of **3**

Certificate No.: 2531-CPR-CSP11190



Annex 1

EXTENT

Туре:
ORB-SW-10005 Orbis Sav-Wire Base

Performance

Essential characteristics	Clauses in EN 54-18:2005	Performance
Response delay (response time)	5.2 1)	Pass
Performance under fire conditions	5.1.4	Pass
Operational reliability	5.1.4	Pass
Durability of operational reliability; temperature resistance	5.3, 5.4	Pass
Durability of operational reliability; vibration resistance	5.8 to 5.11	Pass
Durability of operational reliability; humidity resistance	5.5, 5.6	Pass
Durability of operational reliability; corrosion resistance	5.7	Pass
Durability of operational reliability; electrical stability	5.2, 5.12	Pass

1) Response delays may not be a function of the input/output device, in which case no assessment is made as part of this standard



The certificate shall be reproduced in extenso – extracts only with written permission from DBI Certification A/S.

E-mail: info@dbicertification.dk www.dbicertification.dk

Certificate No.: 2531-CPR-CSP11190




Annex 2

TEST DOCUMENTATION Accredited Laboratory Report no. Date BRE TE 245928 15 September 2009

TECHNICAL BASIS

TECHNICAE DASIS	
File Number	Title
400-SW-00009	Build Standard





The certificate shall be reproduced in extenso – extracts only with written permission from DBI Certification A/S.

DBI Certification A/S Jernholmen 12, 2650 Hvidovre Tlf.: 36 34 90 90

E-mail: info@dbicertification.dk www.dbicertification.dk