



TYPE APPROVAL CERTIFICATE

Certificate No:
TAA0000WD
Revision No:
1

This is to certify:

That the Fire Alarm Manual Call Point

with type designation(s)
XP95 I.S. - Part No. 55100-940

Issued to

Apollo Fire Detectors Limited
HAVANT, HAMPSHIRE, United Kingdom

is found to comply with
DNV rules for classification – Ships, offshore units, and high speed and light craft

Application :

Product(s) approved by this certificate is/are accepted for installation on all vessels classed by DNV.

Location classes:

Temperature	A
Humidity	B
Vibration	A
EMC	A
Enclosure	C/IP67

Issued at **Høvik** on **2022-02-17**

This Certificate is valid until **2026-12-31**.

DNV local station: **Southampton**

Approval Engineer: **Frode Nygård**

for **DNV**

.....
Trond Sjøvåg
Head of Section

This Certificate is subject to terms and conditions overleaf. Any significant change in design or construction may render this Certificate invalid. The validity date relates to the Type Approval Certificate and not to the approval of equipment/systems installed.

LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and their subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.



Product description

XP95 I.S. Manual Call Point (MCP) covered by this Type Approval:

Model	Description
XP95 I.S. - Part No 55100-940	EX non-isolated red MCP, outdoor use

Application/Limitation

Approved for use with type approved fire alarm central units using Apollo XP95 Communication Protocol and Protocol Translator XP95 - Part No. 55000-855/856.


EMC in the range 2 GHz to 6 GHz according to DNV-CG-0339, August 2021 has not been documented. EMC up to 6 GHz must additionally be documented for installation on ships contracted for construction on or after 2022-01-01.

System application/location of MCPs to be in accordance with relevant parts of the Rules.

To provide additional protection against accidental operation, a transparent hinged cover with a locking tag, part no 26729-152, is available. Please note that the manual call point 55100-940MAR does not conform to EN54-11 (2001) when this lid is fitted and secured with the locking tag supplied.

Ex installations to be approved in each case according to the Rules and Ex-Certification/ Special Condition for Safe Use listed in valid Ex-certificate issued by a notified/recognized Certification Body.

Ex-certification is not covered by this certificate and the following paragraph, which is for information only, is based on information received from the manufacturer, but not verified by DNV.

Information on Ex-Certification received from manufacturer – Not verified by DNV		
Equipment	Certified	Certificate No.
XP95 I.S. - Part No 55000-940	 II 1 G EEx ia IIC T5 or EEx ia IIC T4 (-20°C ≤ Ta ≤ 60°C)	BAS02ATEX1290

Approval conditions

The Type Approval covers hardware listed under Product description. When the hardware is used in applications to be classed by DNV, documentation for the actual application is to be submitted for approval by the manufacturer of the application system in each case. Reference is made to DNV rules for classification of ships Pt.4 Ch.9 Control and monitoring systems.

Type Approval documentation

Eng. Product Guide: PP 1095/2021/issue 5

Ass. Drawing: 55100-940 to 944 GA, issue 3
 43781-263, issue 7

Inst. Drawing: 39214-411, issue 3

Test Report: TE 88022, TE 89127, TE 89128, TE 89129, TE 90088, TE 90089, TE 90090,
 TE 237126 (EN54-11), Cape 14194, 2005-05-05 (IP)

Type approval periodical assessment report for TAA00000WD, DNV 2021-12-07.

Tests carried out

Applicable tests according to class guideline DNV-CG-0339, August 2021.

Type designation XP95 I.S. - Part No. 55100-940 tested according to EN54-11:2001.

Marking of product

The products to be marked with:

- manufacturer name
- model name
- serial number

Periodical assessment

The scope of the periodical assessment is to verify that the conditions stipulated for the type are complied with, and that no alterations are made to the product design or choice of systems, software versions, components and/or materials.

The main elements of the assessment are:

- Ensure that type approved documentation is available
- Inspection of factory samples, selected at random from the production line (where practicable)
- Review of production and inspection routines, including test records from product sample tests and control routines
- Ensuring that systems, software versions, components and/or materials used comply with type approved documents and/or referenced system, software, component and material specifications
- Review of possible changes in design of systems, software versions, components, materials and/or performance, and make sure that such changes do not affect the type approval given
- Ensuring traceability between manufacturer's product type marking and the type approval certificate

Periodical assessment is to be performed after 2 years and after 3.5 years. A renewal assessment will be performed at renewal of the certificate.

END OF CERTIFICATE