

UOXX.S7003 - Control Unit Accessories, System

Control Unit Accessories, System

[See General Information for Control Unit Accessories, System](#)

APOLLO FIRE DETECTORS LTD

36 BROOKSIDE RD
HAVANT, HAMPSHIRE P09 1JR UNITED KINGDOM

S7003

Investigated to UL 864 (9th edition)

Abort Switches Model(s) VF1823-10-AP, VF1823-40-AP

eMatrix Mimic Displays Model(s) VF130X-YYY-AP where X can be the number 1 or 2 denotes color of enclosure, and YYY denotes the number of LED extension boards, which can be either 1, 3, or 5 boards

VF132X-YYY-AP, VF-133X-YYY-AP where X can be the number 1 or 2 denotes color of enclosure, and YYY denotes the number of LED extension boards, which can be either 1, 3, or 5 boards

eView Remote Annunciators Model(s) VF1172-XX-AP, VF1173-XX-AP where -XX represents the color of the panel enclosure, -10 for red and -20 for charcoal

Isolator module "XP95A" Model(s) 55000-788USM (Isolator)

Isolator modules "XP95A" Model(s) 45681-211, 45681-538USM (Base)

Mini monitor module Model(s) 55000-765, 55000-767USM

Investigated to UL 864 (10th edition)

120VAC Input/Output Module "XP95A" Model(s) 55000-785, 55000-859

Ancillary Board with Enclosure Model(s) VF1822-10-AP

Ancillary Board with enclosure Model(s) VF1822-40-AP

End of line resistor Model(s) 44251-146

Isolator module, XP95A Model(s) 55000-750 isolator

Lamp Status Unit Model(s) VF1812-11-AP

Lamp Status Units Model(s) VF1812-12-AP, VF1812-13-AP, VF1812-14-AP, VF1821-41-AP, VF1821-42-AP, VF1821-43-AP, VF1821-44-AP

Pads Model(s) 45681-157

Relay Output Module "XP95A" Model(s) 55000-792USM*, 55000-863*

Sounder Control Module "XP95A" Model(s) 55000-791USM, 55000-825, 55000-825USA

Switch monitor module "XP95A" Model(s) 55000-806, 55000-820, 55000-830, 55000-831

Switch monitor modules "XP95A" Model(s) 55000-790, 55000-805

Last Updated on 2019-06-18

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory

with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2021 UL LLC"